

Page 1/6

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.05.2015

Version number 4

Revision: 22.01.2015

rinting date 07.05.20	15 Version number 4	Revision: 22.01.2015
SECTION 1: Ident	ification of the substance/mixture and of the company/undertaking	
· 1.1 Product ident		
· Trade name: CRA	FTEX REGULAR POWDER	
 Sector of Use Cle Product category 	<i>tified uses of the substance or mixture and uses advised against</i> traning industry PC35 Washing and cleaning products (including solvent based products)	
· Application of the	e substance / the mixture Carpet cleaning powder	
t.3 Details of the Manufacturer/Sup Craftex Cleaning S Greenstalls Park, 0 Ilchester, Somerse	Systems Costello Hill	
· Further informati	on obtainable from: Product safety department. Iephone number: 01935 842509	
SECTION 2: Haza	rds identification	
SECTION 2. Haza		
	of the substance or mixture cording to Regulation (EC) No 1272/2008	
GHS0	5 corrosion	
	4 Causes severe skin burns and eye damage.8 Causes serious eye damage.	
GHS0	7	
	D2 Harmful if swallowed.35 May cause respiratory irritation.	
	ing to Regulation (EC) No 1272/2008 ssified and labelled according to the CLP regulation.	
	>	
GHS05 GHS	07	
 Signal word Dang 	jer	
disodium trioxosilio • Hazard statemen	ts	
H335 May cause r	ere skin burns and eye damage. espiratory irritation.	
• <i>Precautionary sta</i> P101 P102	If medical advice is needed, have product container or label at hand. Keep out of reach of children.	
P103 P260 P303+P361+P353	Read label before use. Do not breathe dust/fume/gas/mist/vapours/spray. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothi	ng. Rinse skin with water/
	shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact to do. Continue rinsing.	enses, if present and easy
P310 P405	Immediately call a POISON CENTER/doctor. Store locked up.	

Page 2/6

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.05.2015

Version number 4

Revision: 22.01.2015

Trade name: CRAFTEX REGULAR POWDER

(Contd. of page 1) P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components: CAS: 10213-79-3 disodium trioxosilicate pentahydrate EINECS: 229-912-9 ♦ Skin Corr. 1B, H314; ↑ Acute Tox. 4, H302; STOT SE 3, H335 CAS: 497-19-8 sodium carbonate EINECS: 207-838-8 ↑ Eye Irrit. 2, H319 · Regulation (EC) No 648/2004 on detergents / Labelling for contents phosphates 15 - 30%

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:** Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation. 6.4 Reference to other sections

- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

- Thorough dedusting.
- Prevent formation of dust.

(Contd. on page 3)

[·] Information about fire - and explosion protection: No special measures required.

GB

Page 3/6

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.05.2015

Version number 4

Revision: 22.01.2015

Trade name: CRAFTEX REGULAR POWDER

(Contd. of page 2) · 7.2 Conditions for safe storage, including any incompatibilities · Storage: · Requirements to be met by storerooms and receptacles: No special requirements. · Information about storage in one common storage facility: Not required. · Further information about storage conditions: Keep container tightly sealed. · 7.3 Specific end use(s) No further relevant information available. **SECTION 8: Exposure controls/personal protection** · Additional information about design of technical facilities: No further data; see item 7. · 8.1 Control parameters · Ingredients with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace · Additional information: The lists valid during the making were used as basis. · 8.2 Exposure controls · Personal protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. · Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use selfcontained respiratory protective device. Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye protection: Tightly sealed goggles

9.1 Information on basic phy General Information	sical and chemical properties	
Appearance:		
Form:	Powder	
Colour:	White	
Odour:	Odourless	
Odour threshold:	Not determined.	
pH-value at 20 °C:	12	

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.05.2015

Version number 4

Revision: 22.01.2015

Trade name: CRAFTEX REGULAR POWDER

	(Conto	I. of page 3)
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Undetermined. Undetermined.	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not determined.	
· Ignition temperature:		
Decomposition temperature:	Not determined.	
· Self-igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits: Lower: Upper:	Not determined. Not determined.	
· Vapour pressure:	Not applicable.	
 Density: Relative density Vapour density Evaporation rate 	Not determined. Not determined. Not applicable. Not applicable.	
 Solubility in / Miscibility with water: 	Soluble.	
· Partition coefficient (n-octanol/wat	er): Not determined.	
 Viscosity: Dynamic: Kinematic: 	Not applicable. Not applicable.	
 Solvent content: Organic solvents: VOC (EC) 	0.0 % 0.00 %	
Solids content: • 9.2 Other information	100.0 % No further relevant information available.	

SECTION 10: Stability and reactivity

· 10.1 Reactivity

- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity:

· LD/LC50 values relevant for classification:

10213-79-3 disodium trioxosilicate pentahydrate

Oral	LD50	770 mg/kg (mouse)
		1280 mg/kg (rat)

LC50/96 h 3185 mg/l (fish)

· Primary irritant effect:

on the skin: Caustic effect on skin and mucous membranes.
 on the eye: Strong caustic effect.

· Sensitisation: No sensitising effects known.

(Contd. on page 5)

GB

Page 5/6

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.05.2015

Version number 4

Revision: 22.01.2015

(Contd. of page 4)

Trade name: CRAFTEX REGULAR POWDER

· Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

10213-79-3 disodium trioxosilicate pentahydrate

- EC50/48 h 4857 mg/l (daphnia)
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

12.5 Results of PBT and vPvB assessment

· PBT: Not applicable.

- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation Must not be disposed together with household waste. Do not allow product to reach sewage system.

· Uncleaned packaging:

- *Recommendation:* Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.1 UN-Number		
ADR, IMDG, IATA	UN3253	
14.2 UN proper shipping name		
ADR	3253 DISODIUM TRIOXOSILICATE, mixture	
IMDG, IATA	DISODIUM TRIOXOSILICATE, mixture	
14.3 Transport hazard class(es)		
ADR, IMDG, IATA		
Class	8 Corrosive substances.	
Label	8	
14 4 Decking group		
14.4 Packing group		

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.05.2015

Version number 4

Revision: 22.01.2015

Trade name: CRAFTEX REGULAR POWDER

	(Contd. of	f page
14.5 Environmental hazards:		
• Marine pollutant:	No	
14.6 Special precautions for user	Warning: Corrosive substances.	
Danger code (Kemler):	80	
EMS Number:	F-A,S-B	
· Segregation groups	Alkalis	
14.7 Transport in bulk according to Annex	x ll of	
MARPOL73/78 and the IBC Code	Not applicable.	
· Transport/Additional information:		
ADR		
· Limited quantities (LQ)	5 kg	
Excepted quantities (EQ)	Code: E1	
	Maximum net quantity per inner packaging: 30 g	
	Maximum net quantity per outer packaging: 1000 g	
Transport category	3	
• Tunnel restriction code	E	
· IMDG		
 Limited quantities (LQ) 	5 kg	
 Excepted quantities (EQ) 	Code: E1	
	Maximum net quantity per inner packaging: 30 g	
	Maximum net quantity per outer packaging: 1000 g	
· UN "Model Regulation":	UN3253, DISODIUM TRIOXOSILICATE, mixture, 8, III	

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- · Department issuing MSDS: Product safety department.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

- by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LCG0: Lettal concentration, 50 correct

- LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent
- Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B
- Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2 STOT SE 3: Specific target organ toxicity Single exposure, Hazard Category 3