# **SAFETY DATA SHEET**

HG tile cleaner (porcelain cleaner) (HG product 16)



### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier	
Product name	: HG tile cleaner (porcelain cleaner) (HG product 16)
Product code	: 184 ART
Product description	: Cleaner.
Product type	: Liquid.
Other means of identification	: Not available.

**1.2 Relevant identified uses of the substance or mixture and uses advised against** Not applicable.

#### 1.3 Details of the supplier of the safety data sheet

HG International BV Damsluisweg 70 - NL-1332 EJ - Almere - The Netherlands Tel.: +31 (0)36 54 94 700 - Fax: +31 (0)36 54 94 744 Email: info@hg.eu - Internet: www.hg.eu

e-mail address of person : safety@hg.eu responsible for this SDS

#### National contact

HG Hagesan UK Ltd. Unit 2 Lanswood Park Broomfield Road Elmstead Market Colchester Essex CO7 7FD Tel.: 0044 (0)1206 822744 Fax: 0044 (0)1206 827019

#### 1.4 Emergency telephone number

#### National advisory body/Poison Centre

Telephone number	: England and Wales NHS Direct: 0845 4647
	Scotland NHS 24: 08454 24 24 24
	Republic of Ireland 01 809 2166
<u>Supplier</u>	
Telephone number	: +31 (0)36 54 94 777
Hours of operation	: Mo-Fr 9.00-17.00
Information limitations	: Only for medical personnel.

HG tile cleaner (porcelain cleaner) (HG product 16)

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture **Product definition** : Mixture Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS] Skin Corr. 1, H314 Eye Dam. 1, H318 Aquatic Chronic 3, H412 The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended. Ingredients of unknown : 1 percent of the mixture consists of component(s) of unknown toxicity toxicity Classification according to Directive 1999/45/EC [DPD] The product is classified as dangerous according to Directive 1999/45/EC and its amendments. Classification : Xi: R36/38 Human health hazards : Irritating to eyes and skin. See Section 16 for the full text of the R phrases or H statements declared above. See Section 11 for more detailed information on health effects and symptoms. 2.2 Label elements Hazard pictograms Signal word : Danger Hazard statements Causes severe skin burns and eve damage. ÷. Harmful to aquatic life with long lasting effects. **Precautionary statements** General : If medical advice is needed, have product container or label at hand. Keep out of reach of children. Prevention : Wear protective gloves and eye protection. Response : IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Storage : Not applicable Disposal : Not applicable **Hazardous ingredients** 5 sodium hydroxide Supplemental label : Not applicable. elements **Annex XVII - Restrictions** : Not applicable. on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles Special packaging requirements **Containers to be fitted** : Yes, applicable. with child-resistant fastenings Tactile warning of danger : Yes, applicable. 2.3 Other hazards

Other hazards which do : None known. not result in classification

### **SECTION 3: Composition/information on ingredients**

3.2 Mixtures	: Mixture					
			Class	<b>Classification</b>		
Product/ingredient name	Identifiers	%	67/548/EEC	Regulation (EC) No. 1272/2008 [CLP]	Туре	
trisodium nitrilotriacetate	EC: 225-768-6 CAS: 5064-31-3	<5	Carc. Cat. 3; R40 Xn; R22 Xi; R36	Acute Tox. 4, H302 Eye Irrit. 2, H319 Carc. 2, H351	[1]	
Alcohols, C12-18, ethoxylated propoxylated	CAS: 61725-89-1	≥1 - <5	Xi; R38	Skin Irrit. 2, H315	[1]	
sodium hydroxide	REACH #: 01-2119457892-27 EC: 215-185-5 CAS: 1310-73-2 Index: 011-002-00-6	≥0.5 - <2	C; R35	Skin Corr. 1A, H314 Eye Dam. 1, H318 Aquatic Chronic 3, H412	[1] [2]	
Fatty alcohol Alkoxylate polymer	CAS: Polymer	<1	Xi; R36 N; R50	Eye Irrit. 2, H319 Aquatic Acute 1, H400 (M=1)	[1]	
			See Section 16 for the full text of the R-phrases declared above.	See Section 16 for the full text of the H statements declared above.		

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

<u>Туре</u>

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII

[4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

[5] Substance of equivalent concern

Occupational exposure limits, if available, are listed in Section 8.

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

Eye contact	: Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.
Inhalation	: Get medical attention if symptoms occur. Remove victim to fresh air and keep at rest in a position comfortable for breathing. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	: Get medical attention immediately. Call a poison center or physician. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	: Get medical attention immediately. Call a poison center or physician. Chemical burns must be treated promptly by a physician.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

Date of issue/Date of revision

### **SECTION 4: First aid measures**

4.2 Most important symptoms and effects, both acute and delayed				
Potential acute health effec	<u>ts</u>			
Eye contact	: Causes serious eye damage.			
Inhalation	: No known significant effects or critical hazards.			
Skin contact	: Causes severe burns.			
Ingestion	: No known significant effects or critical hazards.			
Over-exposure signs/symp	<u>toms</u>			
Eye contact	: Adverse symptoms may include the following: pain watering redness			
Inhalation	: No specific data.			
Skin contact	: Adverse symptoms may include the following: pain or irritation redness blistering may occur			
Ingestion	: Adverse symptoms may include the following: stomach pains			
4.3 Indication of any immedia	ate medical attention and special treatment needed			
Notes to physician	: In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.			
Specific treatments	: No specific treatment.			
SECTION 5: Firefigh	ting measures			

5.1 Extinguishing media Suitable extinguishing media	: Not applicable
Unsuitable extinguishing media	: Not applicable

#### 5.2 Special hazards arising from the substance or mixture

aterial is harmful to aquatic life with long lasting effects. Fire water contam ith this material must be contained and prevented from being discharged to	ninated
arbon dioxide arbon monoxide trogen oxides Ilfur oxides nosphorus oxides	
ere is a fire. No action shall be taken involving any personal risk or without	
eathing apparatus (SCBA) with a full face-piece operated in positive press ode. Clothing for fire-fighters (including helmets, protective boots and glov onforming to European standard EN 469 will provide a basic level of protec	ure ⁄es)
m w U Ca ca ni su ph m : Pr th tra : Fi br co	<ul> <li>In a fire or if heated, a pressure increase will occur and the container may but material is harmful to aquatic life with long lasting effects. Fire water contain with this material must be contained and prevented from being discharged to waterway, sewer or drain.</li> <li>Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides sulfur oxides phosphorus oxides metal oxide/oxides</li> <li>Promptly isolate the scene by removing all persons from the vicinity of the int there is a fire. No action shall be taken involving any personal risk or without training.</li> <li>Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressimode. Clothing for fire-fighters (including helmets, protective boots and glow conforming to European standard EN 469 will provide a basic level of protect chemical incidents.</li> </ul>

Date of issue/Date of revision

### **SECTION 6: Accidental release measures**

6.1 Personal precautions, pro	otec	tive equipment and emergency procedures
For non-emergency personnel		No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Do not breathe vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders		If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions		Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.
6.3 Methods and material for	con	tainment and cleaning up
Small spill		Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill		Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product.
6.4 Reference to other sections	:	See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

### **SECTION 7: Handling and storage**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapour or mist. Do not ingest. Avoid release to the environment. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Keep away from acids. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Separate from acids. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

#### 7.3 Specific end use(s)

Date of issue/Date of revision

: 5-1-2016

### **SECTION 7: Handling and storage**

Recommendations

Industrial sector specific solutions

: Not available.

#### ecific : Not available.

### **SECTION 8: Exposure controls/personal protection**

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

#### 8.1 Control parameters

#### **Occupational exposure limits**

Product/ingredien	t na	ame		Exposure limit values			
sodium hydroxide			EH40/2005 WELs (United Kingdom (UK), 12/2011). STEL: 2 mg/m <sup>3</sup> 15 minutes.				
Recommended monitoring procedures	a p t t li a e ( f	atmosphere or b of the ventilation protective equips he following: E he assessment imit values and atmospheres - C exposure to che Workplace atm or the measure	t contains ingredients with exposure limits, personal, workplace or biological monitoring may be required to determine the effectivene ion or other control measures and/or the necessity to use respiratory uipment. Reference should be made to monitoring standards, such European Standard EN 689 (Workplace atmospheres - Guidance f ent of exposure by inhalation to chemical agents for comparison with nd measurement strategy) European Standard EN 14042 (Workplac - Guide for the application and use of procedures for the assessment chemical and biological agents) European Standard EN 482 atmospheres - General requirements for the performance of procedur urement of chemical agents) Reference to national guidance or methods for the determination of hazardous substances will also b		ectivenes piratory s, such a dance fo con with Vorkplac sessmen procedur	as or ce it of res	
DNELs/DMELs							
No DNELs/DMELs available.							
PNECs							
No PNECs available							
3.2 Exposure controls							
Appropriate engineering controls		enclosures, loc	al exhaust ventilation	nes, gas, vapour or mist, u or other engineering cont pelow any recommended o	rols to keep	worker	
Individual protection measure	<u>es</u>						
Hygiene measures		eating, smoking Appropriate tec Wash contamin	and using the lavato hniques should be us	roughly after handling che ory and at the end of the w sed to remove potentially of reusing. Ensure that eyew station location.	orking perio	od. ed clothir	
Eye/face protection		assessment ind gases or dusts. unless the asse	licates this is necessa If contact is possible essment indicates a h face shield. If inhala	oproved standard should b ary to avoid exposure to liq e, the following protection igher degree of protection tion hazards exist, a full-fa	uid splashe should be w : chemical	es, mists, vorn, splash	,
Skin protection							
Hand protection		be worn at all tii this is necessar check during us should be noted different for diffe	mes when handling o y. Considering the pa se that the gloves are d that the time to brea erent glove manufact	es complying with an appro- chemical products if a risk arameters specified by the still retaining their protect akthrough for any glove m curers. In the case of mixture me of the gloves cannot b	assessmer e glove mar ive properti aterial may ures, consis	nt indicate nufacture es. It be sting of	es er,
Date of issue/Date of revision		: 5-1-2016 Da	te of previous issue	: No previous validation	Version :	1	6/13

### **SECTION 8: Exposure controls/personal protection**

Body protection	Personal protective equipment for the body should be selected based on the being performed and the risks involved and should be approved by a special before handling this product.	
Other skin protection	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and sho approved by a specialist before handling this product.	
Respiratory protection	Based on the hazard and potential for exposure, select a respirator that me appropriate standard or certification. Respirators must be used according to respiratory protection program to ensure proper fitting, training, and other in aspects of use.	to a
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to they comply with the requirements of environmental protection legislation. cases, fume scrubbers, filters or engineering modifications to the process environmental will be necessary to reduce emissions to acceptable levels.	In some

## **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical	and chemical properties
Appearance	
Physical state	: Liquid.
Colour	: [Light]
Odour	: Not available.
Odour threshold	: Not available.
рН	: 13.6 [Conc. (% w/w): 100%]
Melting point/freezing point	: Not available.
Initial boiling point and boiling range	: Not available.
Flash point	: Open cup: Not applicable. [Product does not sustain combustion.]
Evaporation rate	: Not available.
Flammability (solid, gas)	: Not available.
Upper/lower flammability or explosive limits	: Not available.
Vapour pressure	: Not available.
Vapour density	: Not available.
Relative density	: 1.071
Solubility(ies)	: Easily soluble in the following materials: cold water and hot water.
Partition coefficient: n-octanol/ water	: Not available.
Auto-ignition temperature	: Not available.
Decomposition temperature	: Not available.
Viscosity	: Dynamic (room temperature): Not applicable.
Explosive properties	: Not available.
Oxidising properties	: Not available.

#### 9.2 Other information

No additional information.

HG tile cleaner (porcelain cleaner) (HG product 16)

### **SECTION 10: Stability and reactivity**

10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	: The product is stable.
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	: No specific data.
10.5 Incompatible materials	: Reactive or incompatible with the following materials: acids
10.6 Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
trisodium nitrilotriacetate	LD50 Oral	Rat	1100 mg/kg	-
Conclusion/Summary	Not available.			

#### Conclusion/Summary Acute toxicity estimates

Acute toxicity e

### Not available.

### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
sodium hydroxide	Eyes - Severe irritant	Monkey	-	24 hours 1	-
		-		Percent	
	Eyes - Mild irritant	Rabbit	-	400	-
				Micrograms	
	Eyes - Severe irritant	Rabbit	-	24 hours 50	-
				Micrograms	
	Eyes - Severe irritant	Rabbit	-	1 Percent	-
	Eyes - Severe irritant	Rabbit	-	24 hours 1	-
				milligrams	
	Eyes - Severe irritant	Rabbit	-	0.5 minutes	-
				1 milligrams	
	Skin - Mild irritant	Human	-	24 hours 2	-
				Percent	
	Skin - Severe irritant	Rabbit	-	24 hours 500	-
				milligrams	

Conclusion/Summary	: Not available.
<u>Sensitisation</u>	
<b>Conclusion/Summary</b>	: Not available.
<u>Mutagenicity</u>	
<b>Conclusion/Summary</b>	: Not available.
<b>Carcinogenicity</b>	
<b>Conclusion/Summary</b>	: Not available.
Reproductive toxicity	
<b>Conclusion/Summary</b>	: Not available.
<u>Teratogenicity</u>	
<b>Conclusion/Summary</b>	: Not available.

Date of issue/Date of revision

HG tile cleaner (porcelain cleaner) (HG product 16)			
SECTION 11: Toxico	logical information		
Specific target organ toxicit	<u>y (single exposure)</u>		
Not available.			
Specific target organ toxicit Not available.	<u>y (repeated exposure)</u>		
Aspiration hazard Not available.			
Information on likely routes of exposure	: Not available.		
Potential acute health effects	<u>i</u>		
Eye contact	: Causes serious eye damage.		
Inhalation	: No known significant effects or critical hazards.		
Skin contact	: Causes severe burns.		
Ingestion	: No known significant effects or critical hazards.		
Symptoms related to the phy	sical, chemical and toxicological characteristics		
Eye contact	<ul> <li>Adverse symptoms may include the following: pain watering redness</li> </ul>		
Inhalation	: No specific data.		
Skin contact	: Adverse symptoms may include the following: pain or irritation redness blistering may occur		
Ingestion	: Adverse symptoms may include the following: stomach pains		
Delayed and immediate effec	ts as well as chronic effects from short and long-term exposure		
Short term exposure			
Potential immediate effects	: Not available.		
Potential delayed effects Long term exposure	: Not available.		
Potential immediate effects	: Not available.		
Potential delayed effects	: Not available.		
Potential chronic health effe	<u>ects</u>		
Not available.			
<b>Conclusion/Summary</b>	: Not available.		
General	: No known significant effects or critical hazards.		
Carcinogenicity	: No known significant effects or critical hazards.		
Mutagenicity	: No known significant effects or critical hazards.		
Teratogenicity	: No known significant effects or critical hazards.		
Developmental effects	: No known significant effects or critical hazards.		
Fertility effects	: No known significant effects or critical hazards.		
Other information	: Not available.		

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
trisodium nitrilotriacetate	Acute LC50 560000 to 1000000 µg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 252000 µg/l Fresh water	Fish - Lepomis macrochirus	96 hours
sodium hydroxide	Acute EC50 40.38 mg/l Fresh water	Crustaceans - Ceriodaphnia dubia - Neonate	48 hours
	Acute LC50 125 ppm Fresh water	Fish - Gambusia affinis - Adult	96 hours
Conclusion/Summary	: Readily biodegradable		•

#### 12.2 Persistence and degradability

Conclusion/Summary	: Readily biodegradable		
Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
HG tile cleaner (porcelain cleaner) (HG product 16)	-	-	Readily

#### 12.3 Bioaccumulative potential

Not available.

12.4 Mobility in soil	
Soil/water partition coefficient (Koc)	: Not available.
Mobility	: Not available.

12.5 Results of PBT and vPvB assessment		
PBT	: Not applicable.	
vPvB	: Not applicable.	

**12.6 Other adverse effects** : No known significant effects or critical hazards.

### **SECTION 13: Disposal considerations**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 13.1 Waste treatment methods

Product	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	: The classification of the product may meet the criteria for a hazardous waste.
Packaging	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Special precautions	: This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Date of issue/Date of revision

HG tile cleaner (porcelain cleaner) (HG product 16)

### **SECTION 14: Transport information**

	ADR/RID	ADN	IMDG	ΙΑΤΑ
14.1 UN number	1760	1760	1760	1760
14.2 UN proper shipping name	CORROSIVE LIQUID, N.O.S. (Silicic acid (H2SiO3), disodium salt, pentahydrate, sodium hydroxide)	CORROSIVE LIQUID, N.O.S. (Silicic acid (H2SiO3), disodium salt, pentahydrate, sodium hydroxide)	CORROSIVE LIQUID, N.O.S. (Silicic acid (H2SiO3), disodium salt, pentahydrate, sodium hydroxide)	CORROSIVE LIQUID, N.O.S. (Silicic acid (H2SiO3), disodium salt, pentahydrate, sodium hydroxide)
14.3 Transport hazard class(es)	8	8	8	8
14.4 Packing group	Ш	Ш	Ш	Ш
14.5 Environmental hazards	No.	Yes.	No.	No.
Additional information	Tunnel code (E)	The product is only regulated as an environmentally hazardous substance when transported in tank vessels.	-	-

**14.6 Special precautions for user**: **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk	: Not available.
according to Annex II of	
Marpol and the IBC Code	

### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture <u>EU Regulation (EC) No. 1907/2006 (REACH)</u>

#### Annex XIV - List of substances subject to authorisation

#### Annex XIV

None of the components are listed.

#### Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions : Not applicable. on the manufacture,

#### placing on the market and use of certain dangerous substances, mixtures and articles

#### **Other EU regulations**

**Europe inventory** : Not determined.

effects effects	
trisodium nitrilotriacetate Carc. 2, H351	

#### Ozone depleting substances (1005/2009/EU)

SECTION 15: Regulatory information						
Not listed.						
Prior Informed Conse	<u>nt (PIC) (649/2012/EU)</u>					
Not listed.						
Seveso Directive						
This product is not cont	rolled under the Seveso Directive.					
International regulation	<u>IS</u>					
Chemical Weapon Con	vention List Schedules I, II & III Chemicals					
Not listed.						
Montreal Protocol (Ann	<u>exes A, B, C, E)</u>					
Not listed.						
Stockholm Convention	on Persistent Organic Pollutants					
Not listed.						
Rotterdam Convention	on Prior Inform Consent (PIC)					
Not listed.						
LINECE Aarbus Protoco	ol on POPs and Heavy Metals					
Not listed.	Storr of 3 and field y metals					
International lists						
National inventory						
Australia	: Not determined.					
Canada	: Not determined.					
China	: Not determined.					
Japan	: Japan inventory (ENCS): Not determined.					
	Japan inventory (ISHL): Not determined.					
Malaysia	: Not determined.					
New Zealand	: Not determined.					
Philippines Republic of Korea	<ul> <li>Not determined.</li> <li>Not determined.</li> </ul>					
Taiwan	: Not determined.					
Turkey	: Not determined.					
United States	: Not determined.					
15.2 Chemical safety assessment	: This product contains substances for which Chemical Safety Assessments are still required.					

### **SECTION 16: Other information**

Indicates information that has changed from previously issued version.
Abbreviations and acronyms : ATE = Acute Toxicity Estimate
CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.
1272/2008]
DMEL = Derived Minimal Effect Level
DNEL = Derived No Effect Level
EUH statement = CLP-specific Hazard statement
PBT = Persistent, Bioaccumulative and Toxic
PNEC = Predicted No Effect Concentration
RRN = REACH Registration Number
vPvB = Very Persistent and Very Bioaccumulative
Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

<u>ocedure used to derive the classification according to Regulation (EC) No. 12/2/2008 [CLP/GHS]</u>

### **SECTION 16: Other information**

Classification	Justification
Skin Corr. 1, H314	Expert judgment
Eye Dam. 1, H318	Expert judgment
Aquatic Chronic 3, H412	Expert judgment

#### Full text of abbreviated H statements

H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H351	Suspected of causing cancer.
H400	Very toxic to aquatic life.
H412	Harmful to aquatic life with long lasting effects.

#### Full text of classifications [CLP/GHS]

Acute Tox. 4, H302	ACUTE TOXICITY (oral) - Category 4
,	
Aquatic Acute 1, H400	ACUTE AQUATIC HAZARD - Category 1
Aquatic Chronic 3, H412	LONG-TERM AQUATIC HAZARD - Category 3
Carc. 2, H351	CARCINOGENICITY - Category 2
Eye Dam. 1, H318	SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1
Eye Irrit. 2, H319	SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2
Skin Corr. 1, H314	SKIN CORROSION/IRRITATION - Category 1
Skin Corr. 1A, H314	SKIN CORROSION/IRRITATION - Category 1A
Skin Irrit. 2, H315	SKIN CORROSION/IRRITATION - Category 2

#### Full text of abbreviated R phrases

R40- Limited evidence of a carcinogenic effect.
R22- Harmful if swallowed.
R35- Causes severe burns.
R36- Irritating to eyes.
R38- Irritating to skin.
R36/38- Irritating to eyes and skin.
R50- Very toxic to aquatic organisms.

### Full text of classifications [DSD/DPD]

Carc. Cat. 3 - Carcinoger C - Corrosive Xn - Harmful Xi - Irritant N - Dangerous for the end		
Date of printing	: 5	-1-2016
Date of issue/ Date of revision	: 5	-1-2016
Date of previous issue	: N	o previous validation
Version	: 1	

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.